

■ Plots pour circuits imprimés

Plots de tests mâles

Ø 1.3 et 1.4		Ø 1 et 1.1		Ø 0.8 et 0.7		Ø 0.6 et >	
Réf. de base	Géré en stock*						
18201	N	18070	N	18081	N	18071	N
18202	N	18080	N	18190	N	18110	N
18203	N	18090	N	18902	N	18111	N
90090	N	18100	N	90390	N	18180	N
91030	N	18120	N	90500	N	90690	N
		18121	N	90790	N	91090	N
		18122	N	90800	N	91100	N
		18130	N	90870	N		
		18140	N	90880	N		
		18160	N	90900	N		
		18170	N	90910	N		
		18900	N	90960	N		
		18910	N	90980	N		
		18920	N	90990	N		
		18930	N	91000	N		
		90180	N	91010	N		
		90181	N	91040	N		
		90182	N	91080	N		
		90183	N	91081	N		
		90260	N				
		90490	N				
		90650	N				
		90820	N				
		90890	N				
		90920	N				
		90930	N				
		90970	N				

Code de revêtement des plots à préciser : (à la fin de la référence)

- Dorure avec sous-couche nickel code 10 exemple : plot 1820.1 doré = 1820.1.10
- Etamage centrifugé PROTETAIN code 20
- Etamage électrolytique Sn Pur code 030
- Autres traitements sur demande

* Stock :

N : Nous avons choisi de ne plus stocker certains produits de notre gamme.

Bien entendu, nous continuons à fabriquer ces produits mais uniquement sur demande.

Pour toute réalisation sur mesure, consultez-nous !















FONDEX S.A. 260 rue Guillaume Fichet Z.I. Les Grands Prés B.P. 90 74302 CLUSES CEDEX FRANCE

Tél : +33 (0)4 50 98 75 33 Fax : +33 (0)4 50 96 02 54


Email : info@fondex-sa.com Web : www.fondex-sa.com

O : Produit géré en stock.

Outil de pose : nous pouvons fournir sur demande les outils de pose et de sertissage adaptés à chacun de nos plots.
(nous consulter)

			
<p>18201</p>	<p>18202</p>	<p>18203</p>	<p>90090</p>
			
<p>91030</p>	<p>18070</p>	<p>18080</p>	<p>18090</p>
			
<p>18100</p>	<p>18120</p>	<p>18121</p>	<p>18122</p>













Pour toute réalisation sur mesure, consultez-nous !




FONDEX S.A. 260 rue Guillaume Fichet Z.I. Les Grands Prés B.P. 90 74302 CLUSES CEDEX FRANCE

Tél : +33 (0)4 50 98 75 33 Fax : +33 (0)4 50 96 02 54

Email : info@fondex-sa.com Web : www.fondex-sa.com

 <p>Technical drawing of test pin 18130. Dimensions: diameters $\varnothing 1$, $\varnothing 2$, $\varnothing 130^{+0,005}$; lengths 5, 4,5, 14$\pm 0,005$, 4,5, 1,5, 1,5, 0,5.</p>	 <p>Technical drawing of test pin 18140. Dimensions: diameters $\varnothing 1$, $\varnothing 2$, $\varnothing 140^{+0,005}$; lengths 4,5, 12,5$\pm 0,1$, 3, 4, 0,5, 3,5.</p>	 <p>Technical drawing of test pin 18160. Dimensions: diameters $\varnothing 1^{0/0,005}$, $\varnothing 2$, $\varnothing 140^{+0,005}$; lengths 5, 12,5$\pm 0,1$, 7,5, 4,5, 0,5.</p>	 <p>Technical drawing of test pin 18170. Dimensions: diameters $\varnothing 1$, $\varnothing 1,7$, $\varnothing 130^{+0,005}$; lengths 7,5, 22,5, 1,5, 1,5, 12.</p>
 <p>Technical drawing of test pin 18900. Dimensions: diameters $\varnothing 1$, $\varnothing 1,3$, $\varnothing 2$, $\varnothing 1,3$; lengths 5, 12,8, 7, 0,8, 1, 1.</p>	 <p>Technical drawing of test pin 18910. Dimensions: diameters $\varnothing 1$, $\varnothing 3$, $\varnothing 1,8$, $\varnothing 1,4$; lengths 9,8, 1, 3,3, 3,8.</p>	 <p>Technical drawing of test pin 18920. Dimensions: diameters $\varnothing 1$, $\varnothing 2$, $\varnothing 1,5$; lengths 6,5, 10,7, 1, 3, 3,2.</p>	 <p>Technical drawing of test pin 18930. Dimensions: diameters $\varnothing 1^{0/0,005}$, $\varnothing 2,5$, $\varnothing 16^{0/0,005}$, $\varnothing 1^{+0,005}$; lengths 11,5$\pm 0,005$, 1, 4,5, 3,5.</p>
 <p>Technical drawing of test pin 90180. Dimensions: diameters $\varnothing 1$, $\varnothing 2,3$; lengths 7, 20, 3, 10.</p>	 <p>Technical drawing of test pin 90181. Dimensions: diameters $\varnothing 1$, $\varnothing 2,3$; lengths 7,5, 20, 5, 7,5.</p>	 <p>Technical drawing of test pin 90182. Dimensions: diameters $\varnothing 1$, $\varnothing 2,3$; lengths 5, 20, 10, 5.</p>	 <p>Technical drawing of test pin 90183. Dimensions: diameters $\varnothing 1$, $\varnothing 2,3$; lengths 2,5, 20, 1,5, 2,5.</p>













Pour toute réalisation sur mesure, consultez-nous !



FONDEX S.A. 260 rue Guillaume Fichet Z.I. Les Grands Prés B.P. 90 74302 CLUSES CEDEX FRANCE

Tél : +33 (0)4 50 98 75 33 Fax : +33 (0)4 50 96 02 54

Email : info@fondex-sa.com Web : www.fondex-sa.com

 <p>Technical drawing of test pin 90260. Dimensions: $\phi 2,3$, $\phi 0,8$, $\phi 2,35^{+0,005}$, $\phi 1$, 2, 4, 5, 7, 12.</p>	 <p>Technical drawing of test pin 90490. Dimensions: $\phi 0,8$, $\phi 2$, 0,5, 2,5, 17, $20^{+0,2}$, $\phi 1$.</p>	 <p>Technical drawing of test pin 90650. Dimensions: $\phi 1,2$, $\phi 0,8$, 2, 3, 8, $\phi 1,6^{+0,005}$, $\phi 1,3^{+0,005}$ moleté, $\phi 1$, 3,5.</p>	 <p>Technical drawing of test pin 90820. Dimensions: $\phi 1$, $\phi 4$, $\phi 2,8$, $\phi 1$, 0,6, 4, 2,4, 10,4, 6,4.</p>
 <p>Technical drawing of test pin 90890. Dimensions: $\phi 4$, $\phi 3,6$, $\phi 1$, 0,6, 2,5, 5,9.</p>	 <p>Technical drawing of test pin 90920. Dimensions: $\phi 1$, $\phi 4$, $\phi 3,6$, 0,6, 4, 2,5, 6,5.</p>	 <p>Technical drawing of test pin 90930. Dimensions: $\phi 1,7$, $\phi 1,33^{+0,003}$, $\phi 1,7$, 0,5, 1,5, 5, 18,5, 13,5, $\phi 1,7$, $\phi 1,33^{+0,003}$, $\phi 1,7$, 0,5, 1,5, 5, 18,5, 13,5.</p>	 <p>Technical drawing of test pin 90970. Dimensions: $\phi 0,8$, $\phi 2$, $\phi 1$, 2,5, 3, 0,5, 17, $20^{+0,2}$.</p>
 <p>Technical drawing of test pin 18081. Dimensions: $\phi 17$, $\phi 0,8$, 0,5, 15, 3, 5,5, $\phi 130^{+0,005}$ moleté, $\phi 1$, 2,5.</p>	 <p>Technical drawing of test pin 18190. Dimensions: $\phi 0,8$, $\phi 17$, 128, 3, 27,1, $\phi 130^{+0,005}$, 12,8, 14,3, $\phi 0,8$.</p>	 <p>Technical drawing of test pin 18902. Dimensions: $\phi 0,8^{+0,005}$, 0,25, 45°, $\phi 12^{+0,005}$, $\phi 0,8^{+0,005}$, 0,6, $2^{+0,1}$, 5,1, $\phi 0,45^{+0,005}$.</p>	 <p>Technical drawing of test pin 90390. Dimensions: $\phi 0,8$, 60°, $\phi 2,5$, 1, 2,5, 11,5, $\phi 3,5$.</p>













Pour toute réalisation sur mesure, consultez-nous !




FONDEX S.A. 260 rue Guillaume Fichet Z.I. Les Grands Prés B.P. 90 74302 CLUSES CEDEX FRANCE

Tél : +33 (0)4 50 98 75 33 Fax : +33 (0)4 50 96 02 54

Email : info@fondex-sa.com Web : www.fondex-sa.com

 <p>Technical drawing of test pin 90500. Dimensions: $\varnothing 0,8$ (top and bottom diameters), $\varnothing 3$ (middle diameter), $\varnothing 2$ (shoulder diameter), $0,4$ (shoulder thickness), $1,6$ (middle length), 4 (total length), 5 (bottom length).</p>	 <p>Technical drawing of test pin 90790. Dimensions: $\varnothing 0,8$ (top and bottom diameters), $\varnothing 3$ (middle diameter), $\varnothing 2$ (shoulder diameter), $0,4$ (shoulder thickness), $1,6$ (middle length), 4 (total length), 5 (bottom length).</p>	 <p>Technical drawing of test pin 90800. Dimensions: $\varnothing 0,8$ (top and bottom diameters), $\varnothing 3$ (middle diameter), $\varnothing 2$ (shoulder diameter), $0,4$ (shoulder thickness), $1,6$ (middle length), 4 (total length), 5 (bottom length).</p>	 <p>Technical drawing of test pin 90870. Dimensions: $\varnothing 3$ (top diameter), $\varnothing 2,1$ (middle diameter), $\varnothing 0,8$ (bottom diameter), $0,5$ (top shoulder thickness), $1,6$ (middle length), $5,1$ (total length).</p>
 <p>Technical drawing of test pin 90880. Dimensions: $\varnothing 3,5$ (top diameter), $\varnothing 2,8$ (middle diameter), $\varnothing 0,7$ (bottom diameter), $0,5$ (top shoulder thickness), $2,4$ (middle length), $5,9$ (total length).</p>	 <p>Technical drawing of test pin 90900. Dimensions: $\varnothing 0,8$ (top diameter), $\varnothing 3$ (middle diameter), $\varnothing 2,1$ (bottom diameter), $0,4$ (shoulder thickness), $1,6$ (middle length), 4 (total length), $5,6$ (bottom length).</p>	 <p>Technical drawing of test pin 90910. Dimensions: $\varnothing 0,7$ (top diameter), $\varnothing 3,5$ (middle diameter), $\varnothing 2,8$ (bottom diameter), $0,5$ (top shoulder thickness), $2,4$ (middle length), 4 (total length), $6,4$ (bottom length).</p>	 <p>Technical drawing of test pin 90960. Dimensions: $\varnothing 0,8$ (top diameter), $\varnothing 1,2$ (middle diameter), $\varnothing 0,83^{+0,03}_0$ (bottom diameter), $\varnothing 0,6$ (bottom diameter), $0,5$ (top shoulder thickness), 1 (middle length), 1 (bottom length), $3,1$ (bottom length), $23,1$ (total length).</p>
 <p>Technical drawing of test pin 90980. Dimensions: $\varnothing 0,8$ (top and bottom diameters), $\varnothing 1,2$ (middle diameter), 2 (top and bottom lengths), 11 (middle length), 15 (total length).</p>	 <p>Technical drawing of test pin 90990. Dimensions: $\varnothing 0,7$ (top and bottom diameters), $\varnothing 1,2$ (middle diameter), $2,3$ (top and bottom lengths), $15,2$ (middle length), $19,8$ (total length).</p>	 <p>Technical drawing of test pin 91000. Dimensions: $\varnothing 0,7^{0}_{-0,005}$ (top and bottom diameters), $\varnothing 1,2$ (middle diameter), $\varnothing 1,2$ (bottom diameter), $1,2$ (top length), 11 (middle length), 6 (bottom length), $18,2$ (total length).</p>	 <p>Technical drawing of test pin 91010. Dimensions: $\varnothing 0,8$ (top and bottom diameters), $\varnothing 1,2$ (middle diameter), 2 (top and bottom lengths), 22 (middle length), 26 (total length).</p>











Pour toute réalisation sur mesure, consultez-nous !




FONDEX S.A. 260 rue Guillaume Fichet Z.I. Les Grands Prés B.P. 90 74302 CLUSES CEDEX FRANCE

Tél : +33 (0)4 50 98 75 33 Fax : +33 (0)4 50 96 02 54

Email : info@fondex-sa.com Web : www.fondex-sa.com

 <p>Technical drawing of test pin 91040. Dimensions: $\varnothing 0,8^{+0,005}$, $\varnothing 0,9^{\pm 0,005}$, $\varnothing 0,45^{\pm 0,005}$, $\varnothing 1,3^{\pm 0,005}$, $\varnothing 0,8^{\pm 0,005}$, $0,4$, $3,7^{\pm 0,01}$, $4,2$.</p>	 <p>Technical drawing of test pin 91080. Dimensions: $\varnothing 0,8$, $\varnothing 1,03^{+0,003}$, $0,2$, $0,4$, $1,4$, $3,7$, $4,2$, $7,9$.</p>	 <p>Technical drawing of test pin 91081. Dimensions: $\varnothing 0,8$, $\varnothing 1,33^{+0,003}$, $0,2$, $0,4$, $1,4$, $3,7$, $4,2$, $7,9$.</p>	 <p>Technical drawing of test pin 18071. Dimensions: $\varnothing 0,65$, $\varnothing 1,3^{+0,005}$, $\varnothing 1,10^{+0,005}$, $1,5$, 5, $6,5$.</p>
 <p>Technical drawing of test pin 18110. Dimensions: $\varnothing 0,6$, $\varnothing 15$, $\varnothing 1^{+0,005}$, $\varnothing 0,6$, $1,5$, $2,6$, $5,5$, $8,1^{\pm 0,01}$, <i>moleté</i>.</p>	 <p>Technical drawing of test pin 18111. Dimensions: $\varnothing 0,65$, $\varnothing 1,3$, $0,3$, $\varnothing 1,05^{+0,005}$, $1,5$, $0,5$, 5, 10, $\varnothing 0,65$.</p>	 <p>Technical drawing of test pin 18180. Dimensions: $\varnothing 0,5^{0/0,002}$, $\varnothing 0,9$, $\varnothing 0,7^{+0,005}$, $\varnothing 0,5^{0/0,002}$, $0,5$, 3, $3,5$, $4,5$, 8.</p>	 <p>Technical drawing of test pin 90690. Dimensions: $\varnothing 0,9$, $\varnothing 1,8$, $\varnothing 0,6$, $0,5$, 3, 4, $9,5$, $13,5$.</p>
 <p>Technical drawing of test pin 91090. Dimensions: $\varnothing 1$, $0,7$, $\varnothing 1,8$, $0,5$, 2, 13, 15, $\varnothing 0,5^{+0,005}$.</p>	 <p>Technical drawing of test pin 91100. Dimensions: $\varnothing 1,8^{-0,005}$, $\varnothing 1,03^{+0,005}$, $\varnothing 0,6^{\pm 0,002}$, $0,9$, $1,5$, 4, $1,4$, $5,7^{\pm 0,01}$, $11,1^{\pm 0,01}$.</p>		

Pour toute réalisation sur mesure de **plots de tests mâles**, consultez-nous !



FONDEX S.A. 260 rue Guillaume Fichet Z.I. Les Grands Prés B.P. 90 74302 CLUSES CEDEX FRANCE

Tél : +33 (0)4 50 98 75 33 Fax : +33 (0)4 50 96 02 54

Email : info@fondex-sa.com Web : www.fondex-sa.com